



CYP1A2 Citation List

1. Bartz, D., Caffeine-infused weight loss underwear buzzless: FTC. *Reuters* (2014).
<https://www.reuters.com/article/us-usa-health-caffeineunderwear-idUSKCN0HO20Z20140929?feedType=RSS&feedName=healthNews>
2. Glenza, J., Creators of caffeine-infused underwear to pay \$1.5m fine over weight loss claim, *The Guardian*, (2014),
<https://www.theguardian.com/us-news/2014/nov/10/wacoal-caffeine-ipant-underwear-work-thin-ftc-fines>
3. Hershey's Chocolate Bars,
<https://www.caffeineinformer.com/caffeine-content/hershey-chocolate-bar>
4. Appelbaum, C., Decaf coffee isn't actually caffeine-free — here's how much caffeine you're really drinking, *INSIDER*, (2017)
<https://www.thisisinsider.com/is-there-caffeine-in-decaf-coffee-2017-9>
5. Ohio parents sue Amazon over teen son's death from caffeine overdose , *Ohio Daily News*,
<http://www.nydailynews.com/news/national/ohio-parents-sue-son-deathcaffeine-overdose-article-1.2140997>
6. Stokes, T., When caffeine kills: Energy drinks under the spotlight, *nbc news*, (2015),
<http://www.nbcnews.com/health/health-news/when-caffeine-kills-energydrinks-under-spotlight-f1C6641002>
7. 2014-15 NCAA Banned Drugs,
http://www.ncaa.org/sites/default/files/2014-15%20Banned%20Drugs%20Educational_0.pdf
8. Young, S., Wrigley halts production of caffeine gum, *CNN*, (2013),
<http://edition.cnn.com/2013/05/08/health/wrigley-caffeine-gum-production/>
9. Agostini, C. et al., Scientific Opinion on the safety of caffeine, *EFSA Journal* 13(5):4102 (2015),
doi:[10.2903/j.efsa.2015.4102](https://doi.org/10.2903/j.efsa.2015.4102)
10. Caffeine in 'energy drinks' and other foods, *Food Standards Authority*, (2018).
<https://www.food.gov.uk/science/additives/energydrinks>
11. Medicines in my Home: Caffeine and Your Body, *FDA*, (2014)
<https://www.fda.gov/downloads/drugs/resourcesforyou/consumers/buyingusingmedicinesafely/understandingover-the-countermedicines/ucm201466.pdf>
12. Acheson, K. J. et al. Metabolic effects of caffeine in humans: lipid oxidation or futile cycling? *Am J Clin Nutr* 79, 40-46 doi:[10.1093/ajcn/79.1.40](https://doi.org/10.1093/ajcn/79.1.40) (2004).

13. Anderson, M. E. et al. Improved 2000-meter rowing performance in competitive oarswomen after caffeine ingestion. *Int J Sport Nutr Exerc Metab* 10, 464-475 (2000).
14. Arnaud, M. J. The pharmacology of caffeine. *Prog Drug Res* 31, 273-313 (1987).
15. Astorino, T. A., Cottrell, T., Lozano, A. T., Aburto-Pratt, K. & Duhon, J. Increases in cycling performance in response to caffeine ingestion are repeatable. *Nutr Res* 32, 78-84, doi:[10.1016/j.nutres.2011.12.001](https://doi.org/10.1016/j.nutres.2011.12.001) (2012).
16. Beaven, C. M., Gill, N. D. & Cook, C. J. Salivary testosterone and cortisol responses in professional rugby players after four resistance exercise protocols. *J Strength Cond Res* 22, 426-432, doi:[10.1519/JSC.0b013e3181635843](https://doi.org/10.1519/JSC.0b013e3181635843) (2008).
17. Beck, T. W. et al. The acute effects of a caffeine-containing supplement on strength, muscular endurance, and anaerobic capabilities. *J Strength Cond Res* 20, 506-510, doi:[10.1519/18285.1](https://doi.org/10.1519/18285.1) (2006).
18. Benowitz, N. L., Jacob, P., 3rd, Mayan, H. & Denaro, C. Sympathomimetic effects of paraxanthine and caffeine in humans. *Clin Pharmacol Ther* 58, 684- 691, doi:[10.1016/0009-9236\(95\)90025-X](https://doi.org/10.1016/0009-9236(95)90025-X) (1995).
19. Bird, S. P., Tarpinning, K. M. & Marino, F. E. Independent and combined effects of liquid carbohydrate/essential amino acid ingestion on hormonal and muscular adaptations following resistance training in untrained men. *Eur J Appl Physiol* 97, 225-238, doi:[10.1007/s00421-005-0127-z](https://doi.org/10.1007/s00421-005-0127-z) (2006).
20. Bonsignore, A. et al. A case of suicide by ingestion of caffeine. *Forensic Sci Med Pathol* 10, 448-451, doi:[10.1007/s12024-014-9571-6](https://doi.org/10.1007/s12024-014-9571-6) (2014).
21. Brouns, F., Kovacs, E. M. & Senden, J. M. The effect of different rehydration drinks on post-exercise electrolyte excretion in trained athletes. *Int J Sports Med* 19, 56-60, doi:[10.1055/s-2007-971881](https://doi.org/10.1055/s-2007-971881) (1998).
22. Bruce, C. R. et al. Enhancement of 2000-m rowing performance after caffeine ingestion. *Med Sci Sports Exerc* 32, 1958-1963 (2000).
23. Bruce, M., Scott, N., Lader, M. & Marks, V. The psychopharmacological and electrophysiological effects of single doses of caffeine in healthy human subjects. *Br J Clin Pharmacol* 22, 81-87 (1986).
24. Castorena-Torres, F. et al. CYP1A2 phenotype and genotype in a population from the Carboniferous Region of Coahuila, Mexico. *Toxicol Lett* 156, 331- 339, doi:[10.1016/j.toxlet.2004.12.005](https://doi.org/10.1016/j.toxlet.2004.12.005) (2005).
25. Collomp, K., Ahmaidi, S., Chatard, J. C., Audran, M. & Prefaut, C. Benefits of caffeine ingestion on sprint performance in trained and untrained swimmers. *Eur J Appl Physiol Occup Physiol* 64, 377-380 (1992).

26. Desbrow, B. et al. The effects of different doses of caffeine on endurance cycling time trial performance. *J Sports Sci* 30, 115-120, doi:[10.1080/02640414.2011.632431](https://doi.org/10.1080/02640414.2011.632431) (2012).
27. Djordjevic, N., Ghotbi, R., Jankovic, S. & Aklillu, E. Induction of CYP1A2 by heavy coffee consumption is associated with the CYP1A2 -163C>A polymorphism. *Eur J Clin Pharmacol* 66, 697-703, doi:[10.1007/s00228-010-0823-4](https://doi.org/10.1007/s00228-010-0823-4) (2010).
28. Drake, C., Roehrs, T., Shambroom, J. & Roth, T. Caffeine effects on sleep taken 0, 3, or 6 hours before going to bed. *J Clin Sleep Med* 9, 1195-1200, doi:[10.5664/jcsm.3170](https://doi.org/10.5664/jcsm.3170) (2013).
29. European Food Safety Authority (EFSA), P., Italy. Scientific Opinion on the safety of caffeine. *EFSA Journal* 12 (5), 4102 (2015).
30. Ganio, M. S., Klau, J. F., Casa, D. J., Armstrong, L. E. & Maresh, C. M. Effect of caffeine on sport-specific endurance performance: a systematic review. *J Strength Cond Res* 23, 315-324, doi:[10.1519/JSC.0b013e31818b979a](https://doi.org/10.1519/JSC.0b013e31818b979a) (2009).
31. Ghotbi, R. et al. Comparisons of CYP1A2 genetic polymorphisms, enzyme activity and the genotype-phenotype relationship in Swedes and Koreans. *Eur J Clin Pharmacol* 63, 537-546, doi:[10.1007/s00228-007-0288-2](https://doi.org/10.1007/s00228-007-0288-2) (2007).
32. Graham, T. E. Caffeine and exercise: metabolism, endurance and performance. *Sports Med* 31, 785-807 (2001).
33. Graham, T. E., Battram, D. S., Dela, F., El-Sohemy, A. & Thong, F. S. Does caffeine alter muscle carbohydrate and fat metabolism during exercise? *Appl Physiol Nutr Metab* 33, 1311-1318, doi:[10.1139/H08-129](https://doi.org/10.1139/H08-129) (2008).
34. Graham, T. E., Helge, J. W., MacLean, D. A., Kiens, B. & Richter, E. A. Caffeine ingestion does not alter carbohydrate or fat metabolism in human skeletal muscle during exercise. *J Physiol* 529 Pt 3, 837-847 (2000).
35. Graham, T. E., Hibbert, E. & Sathasivam, P. Metabolic and exercise endurance effects of coffee and caffeine ingestion. *J Appl Physiol* (1985) 85, 883-889 (1998).
36. Graham, T. E. & Spriet, L. L. Metabolic, catecholamine, and exercise performance responses to various doses of caffeine. *J Appl Physiol* (1985) 78, 867-874 (1995).
37. Han, X. M. et al. Plasma caffeine metabolite ratio (17X/137X) in vivo associated with G-2964A and C734A polymorphisms of human CYP1A2. *Pharmacogenetics* 11, 429-435 (2001).
38. Hawke, T. J., Allen, D. G. & Lindinger, M. I. Paraxanthine, a caffeine metabolite, dose dependently increases [Ca²⁺]_i in skeletal muscle. *J Appl Physiol* (1985) 89, 2312-2317 (2000).
39. Kamimori, G. H. et al. The rate of absorption and relative bioavailability of caffeine administered in chewing gum versus capsules to normal healthy volunteers. *Int J Pharm* 234, 159-167 (2002).

40. Killer, S. C., Blannin, A. K. & Jeukendrup, A. E. No evidence of dehydration with moderate daily coffee intake: a counterbalanced cross-over study in a free-living population. *PLoS One* 9, e84154, doi:[10.1371/journal.pone.0084154](https://doi.org/10.1371/journal.pone.0084154) (2014).
41. Lelo, A., Birkett, D. J., Robson, R. A. & Miners, J. O. Comparative pharmacokinetics of caffeine and its primary demethylated metabolites paraxanthine, theobromine and theophylline in man. *Br J Clin Pharmacol* 22, 177-182 (1986).
42. Lieberman, H. R., Tharion, W. J., Shukitt-Hale, B., Speckman, K. L. & Tulley, R. Effects of caffeine, sleep loss, and stress on cognitive performance and mood during U.S. Navy SEAL training. Sea-Air-Land. *Psychopharmacology (Berl)* 164, 250-261, doi:[10.1007/s00213-002-1217-9](https://doi.org/10.1007/s00213-002-1217-9) (2002).
43. Lovallo, W. R. et al. Caffeine stimulation of cortisol secretion across the waking hours in relation to caffeine intake levels. *Psychosom Med* 67, 734-739, doi:[10.1097/01.psy.0000181270.20036.06](https://doi.org/10.1097/01.psy.0000181270.20036.06) (2005).
44. MacIntosh, B. R. & Wright, B. M. Caffeine ingestion and performance of a 1,500metre swim. *Can J Appl Physiol* 20, 168-177 (1995).
45. Maughan, R. J. & Griffin, J. Caffeine ingestion and fluid balance: a review. *J Hum Nutr Diet* 16, 411-420 (2003).
46. McCall, A. L., Millington, W. R. & Wurtman, R. J. Blood-brain barrier transport of caffeine: dose-related restriction of adenine transport. *Life Sci* 31, 2709-2715 (1982).
47. Pasma, W. J., van Baak, M. A., Jeukendrup, A. E. & de Haan, A. The effect of different dosages of caffeine on endurance performance time. *Int J Sports Med* 16, 225-230, doi:[10.1055/s-2007-972996](https://doi.org/10.1055/s-2007-972996) (1995).
48. Pataký, M. W. et al. Caffeine and 3-km cycling performance: Effects of mouth rinsing, genotype, and time of day. *Scand J Med Sci Sports*, doi:[10.1111/sms.12501](https://doi.org/10.1111/sms.12501) (2015).
49. Patwardhan, R. V., Desmond, P. V., Johnson, R. F. & Schenker, S. Impaired elimination of caffeine by oral contraceptive steroids. *J Lab Clin Med* 95, 603-608 (1980).
50. Penetar, D. M., McCann, U., Thorne, D., Schelling, A., Galinski, C., Sing, H., Thomas, M. and Belenky, G. Effects of Caffeine on Cognitive Performance, Mood, and Alertness in Sleep-Deprived Humans. *National Academy of Science* (1994).
51. Peterson, S. et al. CYP1A2, GSTM1, and GSTT1 polymorphisms and diet effects on CYP1A2 activity in a crossover feeding trial. *Cancer Epidemiol Biomarkers Prev* 18, 3118-3125, doi:[10.1158/1055-9965.EPI-09-0589](https://doi.org/10.1158/1055-9965.EPI-09-0589) (2009).
52. Ping, W. C., Keong, C. C. & Bandyopadhyay, A. Effects of acute supplementation of caffeine on cardiorespiratory responses during endurance running in a hot & humid climate. *Indian J Med Res* 132, 36-41 (2010).

53. Sachse, C., Brockmoller, J., Bauer, S. & Roots, I. Functional significance of a C-->A polymorphism in intron 1 of the cytochrome P450 CYP1A2 gene tested with caffeine. *Br J Clin Pharmacol* 47, 445-449 (1999).
54. Sandhu, J., S., Shenoy, S., & Dutte, I. Time Dose Relation of Caffeine Ingestion on Muscular Strength and Endurance Performance. *J Postgrad Med Edu Res* 46 (1), 19-23 (2012).
55. Schneiker, K. T., Bishop, D., Dawson, B. & Hackett, L. P. Effects of caffeine on prolonged intermittent-sprint ability in team-sport athletes. *Med Sci Sports Exerc* 38, 578-585, doi:[10.1249/01.mss.0000188449.18968.62](https://doi.org/10.1249/01.mss.0000188449.18968.62) (2006).
56. Stuart, G. R., Hopkins, W. G., Cook, C. & Cairns, S. P. Multiple effects of caffeine on simulated high-intensity team-sport performance. *Med Sci Sports Exerc* 37, 1998-2005 (2005).
57. Thorn, C. F., Aklillu, E., Klein, T. E. & Altman, R. B. PharmGKB summary: very important pharmacogene information for CYP1A2. *Pharmacogenet Genomics* 22, 73-77, doi:[10.1097/FPC.0b013e32834c6efd](https://doi.org/10.1097/FPC.0b013e32834c6efd) (2012).
58. Tracy, T. S. et al. Temporal changes in drug metabolism (CYP1A2, CYP2D6 and CYP3A Activity) during pregnancy. *Am J Obstet Gynecol* 192, 633-639, doi:[10.1016/j.ajog.2004.08.030](https://doi.org/10.1016/j.ajog.2004.08.030) (2005).
59. Wiles, J. D., Bird, S. R., Hopkins, J. & Riley, M. Effect of caffeinated coffee on running speed, respiratory factors, blood lactate and perceived exertion during 1500-m treadmill running. *Br J Sports Med* 26, 116-120 (1992).
60. Womack, C. J. et al. The influence of a CYP1A2 polymorphism on the ergogenic effects of caffeine. *J Int Soc Sports Nutr* 9, 7, doi:[10.1186/1550-2783-9-7](https://doi.org/10.1186/1550-2783-9-7) (2012).
61. Woolf, K., Bidwell, W. K. & Carlson, A. G. Effect of caffeine as an ergogenic aid during anaerobic exercise performance in caffeine naive collegiate football players. *J Strength Cond Res* 23, 1363-1369, doi:[10.1519/JSC.0b013e3181b3393b](https://doi.org/10.1519/JSC.0b013e3181b3393b) (2009).